



CHRISTOPHER H. HUNTER
PARKER-HANNIFIN CORPORATION
LEGAL DEPARTMENT
6035 PARKLAND BOULEVARD
CLEVELAND, OHIO 44124-4141
TELEPHONE (216) 896-2461
TELECOPIER (216) 896-4027
E-Mail: chunter@parker.com

TELECOPY LEAD PAGE
PLEASE DELIVER IMMEDIATELY

DATE: September 12, 2003
PAGES: 11 (INCLUDING LEAD PAGE)

OFFICIAL

ATTENTION: Examiner Matthew O. Savage
COMPANY: U.S. Patent and Trademark Office
FAX NUMBER: 1-703-872-9306

RECEIVED
CENTRAL FAX CENTER
SEP 22 2003

SECRETARY: Janet Narduzzi (Direct Dial 216-896-2917)

MESSAGE


Re: U.S. Serial No. 09/915,159 – "Filter Element Change Indicator Handle"
Please see attached

Chris Hunter

Application No 09/915,159
Response Dated September 22, 2003

CERTIFICATE OF TRANSMISSION

I hereby certify that this Response is being sent by facsimile service to Examiner Matthew O. Savage of the United States Patent and Trademark Office at Facsimile Telephone No. 703-872-9306 on this 22nd day of September, 2003.



Christopher H. Hunter

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 09/915,159
Applicant : Steven Knight
Filed: : July 25, 2001
Title : Filter Element Change Indicator Handle

TC/A.U. : 1723
Examiner : Matthew O. Savage

Commissioner of Patent and Trademarks
P. O. Box 1450
Alexandria, Virginia 22313-1450

RESPONSE

Dear Sir:

This response is in reply to the Notice of Non-Complaint Amendment mailed September 17, 2003.

By this Response, the Listing of Claims now includes proper status identifier in compliance with 37 CFR 1.121.